

DC-8330i

The flexible all-rounder



Pictures of happiness.

 **AGFAPHOTO**



DC-8330i



8.0
MP

3.0"
LCD

3X
Optical
zoom

Face
tracking

Photo
stabilizer

Video
with
sound

16:9
Image
resolution

1600
ISO



For pictures that inspire

Every moment captured

Looking for the ideal camera on the go? Look no further, the handy, light-weight DC-8330i offers a portable solution for every snapshot and photographic challenge. Even the look convinces: Despite its light weight of only 146g the DC-8330i shows off with its high-end design, metallic finish and compact elegance.

With built-in photo enjoyment

With an 8.0-megapixel CCD sensor, 3x optical and 4x digital zoom, 3-inch TFT display with 230,000 pixel and 21 sophisticated scene modes. The face tracking function captures up to three faces automatically in perfect colour balance and focus. Its decisive point: Picture for picture, the DC-8330i simply has more for you.

More performance for your money

Whether you want to photograph subjects, landscapes or people, in sun, rain or twilight, still-life or in action... it's no problem with the DC-8330i. You can easily capture every moment. Thanks to its innovative digital technology you can take perfect pictures that you will want to look at again and again. And it has an attractive price too.



Bursting with the latest technology

- ▶ **ASM** – allows to set aperture and shutter speed manually.
- ▶ **Picture stabiliser** – reduces risk of blurred images and automatically removes any normal shaking.
- ▶ **ISO 1600** – permits picture-taking with a high sensitivity of up to ISO 1600.
- ▶ **AF lamp** – serves to determine the distance in poor lighting conditions – so that the subject can be captured sharply.
- ▶ **Histogram display** – shows the brightness distribution in a view.
- ▶ **SDHC memory card slot** – supports cards of the new standard which offer up to 4 GB of extra capacity.



Technical Specifications

► Picture Sensor

Sensor	8.0 megapixel CCD
--------	-------------------

► Lens

Lens and typ	6 elements in 5 groups (incl. 3 aspherical lens elements)
Focal length	f = 6.2 (W) ~ 18.6 (T) mm
Equivalent 35mm camera	37.5 (W) ~ 112.5 (T) mm
Brightness	F/2.8 (W), F/5.2 (T)
Shutter speed	1/2000 ~ 8 secs.

► Zoom

Digital zoom/optical zoom	4x/3x
---------------------------	-------

► Focussing

Focus range	T: 40cm ~ infinity, W: 15cm ~ infinity
-------------	--

► Display

Colour display	3.0" TFT LCD, 960 x 240 pixel
----------------	-------------------------------

► File format

Still images	JPEG, EXIF 2.2, DPOF, PictBridge-compatible
Video/Audio	AVI/WAV

► Flash modes

Flash	Automatic/manual flash, automatic with red-eye reduction, low shutter speed synchronisation
Flash range	2.3m (W), 1.3m (T)

► Power source

Power supply	2 AA alkaline batteries
--------------	-------------------------

► Miscellaneous

Product dimensions	approx. 95 x 24 x 61mm
--------------------	------------------------

► Accessories

	USB/AV cable, 2x AA alkaline batteries, pouch, handstrap, CD-ROM
--	--

AgfaPhoto accessories

Make digital photography complete



AgfaPhoto Recharger Plus – The fast charging device refills your rechargeable batteries easily on the move. Provides for extra-short recharging time.



AgfaPhoto SD Memory Cards – External memory cards with up to 2 GB are especially suitable for action photos and videos.



AgfaPhoto Picture Packs – Your photo lab at home: optimal on photographic paper with special ink, for 100 digital pictures.



AgfaPhoto Printer AP2700 – Compact thermotransfer photo printer. With large colour display, Bluetooth and WiFi options.

More information at www.plawa.com

AgfaPhoto Distributors

AgfaPhoto is used under license of Agfa-Gevaert NV & Co. KG. Agfa-Gevaert NV & Co. KG does not manufacture this product or provide any product warranty or support. For service, support and warranty information, contact the distributor or manufacturer. All other brands and product names are registered trademarks of their respective owners. Product design and technical features can be changed without notice. AgfaPhoto Holding GmbH, www.agfaphoto.com, Manufactured by plawa-feinwerktechnik GmbH & Co. KG, www.plawa.com